

**MFG'S INFORMATION**

Castle Products, Inc.  
424 St. Paul Street  
Rochester, NY 14605  
1-800-876-0222  
EMERGENCY (585) 275-3232

**MATERIAL SAFETY DATA SHEET**

0-least, 1-slight, 2-moderate, 3-high  
4-extreme, A-goggles, B-goggles &  
gloves, C-goggles & gloves &  
protective wear

**HAZARD RATING**

Health 1  
Fire 1  
Reactivity 0  
Personal B

**SECTION I DESCRIPTION**

STOCK NUMBER

TRADE NAME &amp; SYNONYMS

Trophy Car Wax

CHEMICAL FAMILY

FORMULA

**SECTION II HAZARDOUS INGREDIENTS**

	CAS NO.	PEL	TLV	STEL	(%)
Stoddard Solvent	8052-41-3	500ppm	100ppm		
Isopropyl Alcohol	67-63-0	400ppm	400ppm		
Xylene	1330-20-7	100ppm	100ppm		
DiMethyl Silicones		None Established			
Calcined Kaolin Clay	66402-68-4	10mg/m <sup>3</sup>			
Oleic Diethanol Amide	68155-20-4	None Established			

**SECTION III PHYSICAL DATA**

BOILING POINT:	136°F	SPECIFIC GRAVITY (H <sub>2</sub> O=1)	1.28 @ 23°C
VAPOR PRESSURE:	NA	PERCENT VOLATILE BY VOL %	NA
VAPOR DENSITY: (Air=1)	Greater	EVAPORATION RATE(Butyl Acetate=1)	Slower
SOLUBILITY IN WATER:	Insoluble	APPEARANCE & ODOR	White/hydrocarbons

**SECTION IV FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT(method used)	FLAMMABLE LIMITS	LEL	UEL
143°F	NA	NA	NA

EXTINGUISHING MEDIA: Dry chemicals, CO<sub>2</sub>, foam, water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Confined areas use of S.C.B.A. recommended. This product does not ignite readily. Intense heat may spark ignition.

UNUSUAL FIRE &amp; EXPLOSION HAZARDS: Non known.

**SECTION V HEALTH HAZARD DATA**

THRESHOLD LIMIT VALUE:

EFFECT OF OVEREXPOSURE: Eyes: irritation, redness, blurred vision. Dermal: irritation, defatting, redness. Inhalation: may cause dizziness. Ingestion: Nausea, vomiting, abdominal cramps.

EMERGENCY &amp; FIRST AID PROCEDURES: Eyes: flush with large amounts of water for 15 minutes. Dermal: wash with soap and water and rinse thoroughly. Inhalation: remove victim to fresh air and get medical attention. Ingestion: DO NOT INDUCE VOMITING. Give conscious victim water/milk &amp; seek medical attention.

**SECTION VI REACTIVITY DATA**

STABILITY:	STABLE	XXXXXXXX	UNSTABLE
INCOMPATIBILITY(mar'l to avoid):			
HAZARDOUS DECOMPOSITION PRODUCTS:	Upon thermal decomposition CO & CO <sub>2</sub> .		
HAZARDOUS POLYMERIZATION:	MAY OCCUR	WON'T OCCUR XXXXXX	

**SECTION VII SPILL OR LEAK PROCEDURES**

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Dyke or pill area. Remove all sources of ignition. Absorb free liquid with clay, earth, sand or absorbent pads. Wash area down with soap &amp; water &amp; rinse.

WASTE DISPOSAL METHOD: Follow the guidelines set forth as a combustible liquid N.O.S. NA 1993. Always follow local, state and federal laws.

**SECTION VIII SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION: In confined areas use NIOSH approved only.

VENTILATION: LOCAL XXXXXXXX MECHANICAL OTHER

PROTECTIVE GLOVES: Vinyl or rubber.

EYE PROTECTION: Safety glasses or goggles.

OTHER PROTECTIVE EQUIPMENT: as needed to maintain minimum exposure.

**SECTION IX SPECIAL PRECAUTIONS**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

PRODUCT #: 12818  
1644

DATE PREPARED: 01/20/92

DATE REVISED: 12/07/01